SAFETY DATA SHEET

Issue Date: 08 August 2016

Revision date: 08 August 2016

Version 1

SECTION 1- IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name:	Bio- Synthetic Transformer Fluids
Other means of identification	
Product code:	82296 - 82294
CAS NO:	Mixture
Synonyms:	None
Recommended use of the chen	nical and restrictions on use
Recommended Use:	Biobased Transformer Oil, (Biodegradable), Compliant, EPA-VGP-EAL
Details of the supplier of the sa	afety data sheet
Supplier and Manufacture	
Renewable Lubricants, Inc.	
476 Griggy RD NE, P.O. Box 4	74
Hartville, Oh 44632	
Phone: (330) 877-9982	

Fax: (330) 877-2266 www.renewablelube.com, www.renewablelubricants.com

Emergency telephone number

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Telephone (CHEMTREC) 1-800-424-9300. Outside the U.S. (703) 527-3887

US Signal word	Danger	
US Hazard overview	This mixture is classified as	s an aspiration hazard.
TSCA Label Text	•	CA Regulation 40 CFR 720.36. The sample label and n the required health and safety information under 40
OSHA Label Text	Danger	
	May be fatal if swallowed a	nd enters airways
	If swallowed: Immediately	call a poison control center or a doctor.
	Do NOT induce vomiting	
	Store locked up	
GHS classification of the substance or mixture	Dispose of contents/contain regulations.	er in accordance with local/national/international
Synthetic Transformer Fluid	Page 1 of 8	Revision date: 08 August 2016

CLP/GHS hazard pictogram



Regulation (EC) Aspiration hazard - 1272/2008 [GHS] Category 1. H304

CLP/GHS hazard statements	H304 - May be fatal if swallowed and enters airways.
CLP/GHS precautionary statements	P301+P310: IF SWALLOWED: Immediately call a Poison Center or doctor/ physician. P331 - Do NOT induce vomiting. P405 - Store locked up. P501 - Dispose of contents/container to location in accordance with local/regional/ national/international regulations.
Other hazards	No information identified.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Mixture			
<u>Ingredient</u>	<u>CAS #</u>	Percent	Classification
Alkenes, C10-16 a-, mixed with (6E)-	1472005-85-8	90-95%	H304
7,11-dimethyl-3-methylene-1,6,10-			
dodecatriene, dimers and trimers,			
hydrogenated			
Tetradec-1-ene	1120-36-1	0-5%	H304
Biobased oil	3891-98-3	0-5%	H304

Other components are either not hazardous or are below required disclosure limits.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures	
Immediate Medical Attention Needed	Yes
Eye Contact	If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and supervisor.
Skin Contact	Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs or persists, notify medical personnel and supervisor.
Inhalation	Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and supervisor.

Ingestion	If swallowed, call a physician immediately. Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious person. Notify medical personnel and supervisor.	
Protection of first aid responders	See Section 8 for Exposure Controls/Personal Protection recommendations.	
Most important symptoms and effects, both acute and delayed	The product is not an irritant to skin and eye. The main hazard is associated with aspiration. No specific symptoms are proposed.	
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically and supportively. If accidental exposure occurs to an individual who is also taking one or more concomitant medications, consult the respective package or prescribing information for potential drug interactions.	
SECTION 5 - FIREFIGHTING MEASURES		
Extinguishing media	Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for surrounding fire and materials.	

Specific hazards arising from the substance or mixture	No information identified. May emit toxic fumes of carbon monoxide and carbon dioxide.
Flammability/Explosivity	No explosivity or flammability data identified. High airborne concentrations of finely divided organic particles can potentially explode if ignited.
Advice for firefighters	Wear full protective clothing and a self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode. Decontaminate all equipment after use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated.
Environmental precautions	Do not empty into drains. Avoid release to the environment.
Methods and material for containment and cleaning up	For small spills (such as in a laboratory), soak up material with absorbent pads and wash spill area thoroughly with soap and water. For large spills in manufacturing, absorb liquid with an appropriate adsorbent. Do not raise dust. Eliminate ignition sources. Use only equipment suitable for use with combustible liquids. Place spill materials into a leak-proof container suitable for disposal. Dispose of material in a manner that is compliant with federal, state and local laws.

Reference to other sections See Sections 8 and 13 for more information.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling	The substance is safe to handle under normal conditions of use. Avoid contact with eyes, skin and other mucous membranes. Wash thoroughly after handling. Use personal protective equipment. Avoid breathing vapor. Do not eat, drink or smoke while handling this product. Avoid prolonged or repeated exposure. Provide sufficient air exchange and/or exhaust in workrooms. Take precautionary measures against static discharges. Use normal preventative fire protection
	measures against static discharges. Use normal preventative fire protection measures. Do not cut or weld empty containers as they may contain a residue.

Conditions for safe storage including any incompatibilities	Keep container tightly closed. Keep in a cool and well ventilated area away from any ignition source. To maintain product quality, do not store in heat or direct sunlight.
Specific end use(s)	No information identified.
SECTION 8 - EXPOSURE	CONTROLS/PERSONAL PROTECTION
Exposure/Engineering controls	Provide ventilation. Use local exhaust and/ or enclosure at mist/aerosol/spray- generating points. High-energy operations such as spraying should be done within an approved emission control or containment system. Remove ignition sources.
	Do not ingest. If swallowed then seek immediate medical assistance. Keep away from children.
Respiratory protection	If adequate ventilation is unavailable, use a NIOSH approved N95 or P95 dust mask or an approved and properly fitted air-purifying respirator with organic vapor cartridge based on an assessment of risk and exposure level. Choice of respiratory protection should be appropriate to the task and the level of existing engineering controls.
Hand protection	Wear nitrile or impervious gloves if skin contact is possible.
Skin protection	Wear appropriate lab coat or other protective overgarment if skin contact is likely. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use.
Eye/face protection	Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.
Environmental Exposure Controls	Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.
Other protective measures	Wash hands in the event of contact with this substance, especially before eating, drinking or smoking. Protective equipment is not to be worn outside the work area (e.g., in common areas or out-of-doors). Decontaminate all protective equipment following use.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Color	Colorless to pale-yellow
Odor	No information identified.
Odor threshold	No information identified.
рН	No information identified.

Melting point/freezing point	No information identified
Initial boiling point and boiling range	350 °C (initial) - 500 °C (final)
Flash point	178 °C (352°F) Cleveland Open Cup
Evaporation rate	No information identified.
Flammability (solid, gas)	No information identified.
Upper/lower flammability or explosive limits	No information identified.
Vapor pressure	No information identified.
Vapor density	No information identified.
Relative density	0.82 g/mL @15 °C
Water solubility	Negligible
Solvent solubility	No information identified.
Partition coefficient (<i>n</i> - octanol/water)	Log Kow (Pow): 7.49 to 31.33 at 25 °C
Auto-ignition temperature	No information identified.
Decomposition temperature	No information identified.
Viscosity	(kinematic) 11.7 mm ² /s at 40°C; 3.0 mm ² /s at 100°C
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Other information	

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	None identified. The material is inert.
Chemical stability	Stable under normal handling and storage conditions.
Possibility of hazardous reactions	None identified. The material is inert.
Conditions to avoid	Keep away from heat, sparks, and open flame.
Incompatible materials	Strong oxidizers.
Hazardous decomposition products	Carbon monoxide, carbon dioxide, as identified above in Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

SECTION II - TOAICOLO	UICALINIU				
Information on toxicological effects	l				
Route of entry Acute toxicity	May be absorbed by inhalation, skin contact and ingestion.				
Alkenes, C10-16 a-, mixed with (6E)-7,11-dimethyl-3- methylene-1,6,10- dodecatriene, dimers and trimers, hydrogenated	This class of control of the exposure.	ompound	s is not acutely	toxic by oral, de	ermal, or inhalation
<u>Compound</u> Tetradec-1-ene Biobased Oil	1 1 1	<u>Type</u> None LC50 LD50	<u>Route</u> None Inhalation Oral	<u>Species</u> None Rat Rat	Dose None >2.19 mg/L > 5000 mg/kg > 5000 mg/kg
Irritation/Corrosion	This class of c	LD50 ompound	Dermal s is not irritatin	Rabbit ng to eyes.	> 5000 llig/kg
Sensitization	This class of c	ompound	s is not associa	ted with skin ser	nsitization effects.
STOT-single exposure	No studies ide	ntified.			
STOT-repeated exposure/Repeat-dose toxicity	gavage to Wist not associated on developmen toxicology part adrenal absolu	y/kg/day (n of Nova tar rats at with any nt of offsp ameters te and rel	M) Spec Base Oil the dose levels effect on repro pring. Also, no At the dose leve ative weights v	of 100, 300 and duction in the pa adverse effects el of 1000 mg/kg vas noted, howe	olysorbate 80 via oral d 1000 mg/kg bw/day was arent males and females, or were noted in general g bw/day, elevation of ver considered as not logy or histopathology
Reproductive toxicity	gavage to Wist not associated on developmen toxicology part adrenal absolu	y/kg/day (n of Nova tar rats at with any nt of offsp ameters. A te and rel	M) Spec Base Oil the dose levels effect on repro pring. Also, no At the dose leve ative weights v	of 100, 300 and duction in the pa adverse effects el of 1000 mg/kg vas noted, howe	olysorbate 80 via oral d 1000 mg/kg bw/day was arent males and females, or were noted in general g bw/day, elevation of ver considered as not logy or histopathology
Developmental toxicity	gavage to Wist not associated on development	y/kg/day (n of Nova tar rats at with any nt of offsp ameters.	M) Spec Base Oil the dose levels effect on repro pring. Also, no	of 100, 300 and duction in the pa adverse effects	olysorbate 80 via oral 1 1000 mg/kg bw/day was arent males and females, or were noted in general g bw/day, some minor
Genotoxicity	This class of c	ompound	s is non-genoto	oxic.	

Carcinogenicity	No studies identified. This mixture is not listed by NTP, IARC, ACGIH or OSHA as a carcinogen.
Aspiration hazard	Considered to be an aspiration hazard based on kinematic viscosity.
Human health data	No other information identified

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity

Acute Fish Toxicity:
(1) - 96h-LL50 > 100mg/L nominal loading rate WAF
(2) - 96h-LL50 > 100mg/L nominal loading rate WAF
Chronic Fish Toxicity: 14d NOEL > 100mg/L nominal loading rate WAF.
Acute Daphnia Toxicity :
(1)- 48h-LL50 > 100mg/L nominal loading rate WAF (2)-
48h-LL50 > 100mg/L nominal loading rate WAF Chronic
Daphnia Toxicity:
21d No Observed Effect Loading rate (NOEL) NOEL
for effects on reproduction: 100mg/L WAF NOEL for
effects on body length: 100mg/L WAF
NOEL for mortality of parent animals: 100mg/L WAF
Algal Toxicity:
72h EbC50 value (biomass): > 100 mg/L loading rate WAF 72h
ErC50 value (growth rate): > 100 mg/L loading rate WAF 72h
EyC50 value (yield): > 100 mg/L loading rate WAF NOEC: 100
mg/L loading rate WAF
Inhibition of Bacterial Respiration:
3-Hour EC50 > 1000 mg/L. 3-hour; NOEC: 1000 mg/L.
Acute toxicity to Earthworms:
14d-LC0 1000mg/kg dry soil; 14d-
LC50 > 1000 mg/kg dry soil.

<u>Compound</u> Biobased oil	<u>Type</u> 96hEC50	<u>Species</u> Pseudokirchneriella	Concentration >86 ug/L
Diobased on	NOEC (21	subcapitata Pimephales promelas	66 ug/L
	day) NOEC (21	Daphnia magna	54 ug/L
Tetradec-1-ene	day) 72hEL50 48hEL50	Aquatic plants Daphnia	>1000 mg/L >1000 mg/L
	96hLL50 28NOEC	Fish Microorganism	>1000 mg/L 2 mg/L
Additional toxicity information	Daphnia Magna 48-Hour EL5 100 mg/L loading rate WAF.	0 > 100 mg/L loading rate W	AF. NOEC Loading rate =
Persistence and Degradability	Expected to be ultimately bio	legradable	
Bioaccumulative potential	Not bioaccumulative on the bowet-wt)	asis of QSAR data. (BCF rang	ge of 3.162 to 1944 L/Kg

Bio- Synthetic Transformer Fluid

Mobility in soil	Will be maintained within the soil compartment in estimation based on the physical chemical properties. The substance is not proposed to be mobile due to the solubility.
Results of PBT and vPvB assessment	The substance is not considered to be a PBT or vPvB substance
Other adverse effects	No data available.
Note	Releases to the environment should be avoided.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods	Used product should be disposed of according to local, state, and federal
	regulations. Do not send down the drain or flush down the toilet. All wastes
	containing the material should be properly labeled. Dispose of wastes in
	accordance to prescribed federal, state, and local guidelines, e.g., appropriately
	permitted chemical waste incinerator. Rinse waters resulting from spill cleanups
	should be discharged in an environmentally safe manner, e.g., appropriately
	permitted municipal or on-site wastewater treatment facility.

SECTION 14 - TRANSPORT INFORMATION

Transport	Based on the available data, this mixture is not regulated as a hazardous material/ dangerous good under EU ADR/RID, US DOT, Canada TDG, IATA, or IMDG.
UN number	None assigned.
UN proper shipping name	None assigned.
Transport hazard classes and packing group	None assigned.
Environmental hazards	Based on the available data, this product/mixture is not regulated as an environmental hazard or a marine pollutant.
Special precautions for users	Avoid exposure and releases to the environment.
Transport in bulk according to Annex II of	

MARPOL73/78 and the IBC

Code

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines.
Chemical safety assessment	Conducted.
OSHA Hazardous	This mixture is classified as an aspiration hazard.
WHMIS classification	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.
TSCA status	All components are listed on the TSCA inventory.

SARA section 313	Not listed.		
California proposition 65	Not listed.		
SECTION 16 - OTHER INFORMATION			
NFPA Classification:	Health Hazard: 1; Fire Hazard: 1; Reactivity Hazard; 0		
Full text of H phrases, P phrases and GHS classification	AH1- Aspiration Hazard - Category 1 H304 - May be fatal if swallowed and enters airway		
Sources of data	Information from published literature and internal company data.		
Abbreviations	ACGIH - American Conference of Governmental Industrial Hygienists ADR/RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail AIHA - American Industrial Hygiene Association CAS# - Chemical Abstract Services Number DNEL - Derived No Effect Level DOT - Department of Transportation EINECS - European Inventory of New and Existing Chemical Substances ELINCS - European List of Notified Chemical Substances EU - European Union GHS - Globally Harmonized System of Classification and Labelling of Chemicals IARC - International Agency for Research on Cancer IDLH - Immediately Dangerous to Life or Health IATA International Air Transport Association IMDG - International Maritime Dangerous Good LOEL - Lowest Observed Effect Level LOAEL - Lowest Observed Adverse Effect Level NIOSH - The National Institute for Occupational Safety and Health NOEL - No Observe Effect Level NOAEL - No Observed Adverse Effect Level NTP - National Toxicology Program OEL - Occupational Exposure Limit OSHA - Occupational Safety and Health Administration PBT - Persistent, Bioaccumulative and Toxic PNEC - Predicted No Effect Concentration SARA - Superfund Amendments and Reauthorization Act STEL - Short Term Exposure Limit TDG - Transport Dangerous Goods TSCA - Toxic Substances Control Act TWA - Time Weighted Average WHMIS - Workplace Hazardous Materials Information System		
Revisions	Rev 3.2 Additional toxicity and ecotoxicity data added. Chemtrec international phone number added.		
Disclaimer	The above information is based on data available to us and is believed to be correct. Since the information may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of its use and all persons receiving it must make their own determination of the effects, properties and protections which pertain to their particular conditions. No representation, warranty, or guarantee, express or implied (including a warranty of fitness or merchantability for a particular purpose), is made with respect to the materials, the accuracy of this information the results to be obtained from the use thereof, or the hazards connected with the use of the material. Caution should be used in the handling and use of the material because it is a pharmaceutical product. The above information is offered in good faith and with the beliet that it is accurate. As of the date of issuance, we are providing all information relevant to the foreseeable handling of the material. However, in the event of an adverse incident associated with this product, this Safety Data Sheet is not, and is not intended to be, a substitute for consultation with appropriately trained personnel.		